



---

. PDF file: Download with a single click. Accessed 20 August 2017 . Alkeshparsha.docx. Mon, 15 Feb 2013 19:57:28. PDF. 845 KB . (pdf.org/contents/Mufrdat-Bahasa-Arab-pdf-Version-1.1.3) . 3. .About mufrdat bahasa arab pdf1. Mufradat Bahasa Arab Mufradat Bahasa Arab PDF Pdf. Mufradat Bahasa Arab Mufradat Bahasa Arab Mufradat Bahasa Arab Mufradat Bahasa Arab PDF Mufradat Bahasa Arab PDF pdf Cifre PDF Zirka 1.3 mufradat bahasa arab pdf. Cached. PDF. Cached.Toxicity of metronidazole to the amphibian, *Xenopus laevis*. The effects of sublethal concentrations of metronidazole on the survival of wild-caught *Xenopus laevis* were examined. Metronidazole had a moderate toxicity to the tadpoles, with a 50% lethal concentration (LC50) of 172 mg/L. This toxicity was more intense on the seventh day of exposure than on the first day. The environmental temperature also influenced the toxicity. The tadpoles were significantly more sensitive to metronidazole at 20 degrees C than at 22 degrees C. The ability of metronidazole to alter the ability of tadpoles to undergo cellular oxidation-reduction reactions was examined. Metronidazole alone or in combination with other chemicals tested did not significantly alter the production of superoxide anion by tadpole erythrocytes or the cytochrome P-450 monooxygenase activity of tadpole liver microsomes. When metronidazole was combined with ferrous sulphate, however, a significantly enhanced production of oxygen radicals was detected. This effect was seen when either the metronidazole alone or the ferrous sulphate alone were combined with the tadpoles but not when the metronidazole or the ferrous sulphate alone were administered to the tadpoles. In conclusion, metronidazole itself did not have a direct toxic effect in this species, but if it was combined with a chemotherapeutic agent, it might enhance the inhibition of cellular respiration.1. Field of the

